

Arizona Associates for Reproductive Health

Scottsdale, AZ

Clinic Summary Report

Average number of embryos transferred

2009 Reporting Year	T
---------------------	---

Treatment Type Procedure Frequency		ency	Diagnosis Frequency				
IVF	100%	ICSI	84%	Tubal Factor	3%	Male Factor	32%
GIFT	0%	Unstimulated	0%	Ovulatory dysfunction	3%	Other Factor	0%
ZIFT	0%	Gestational Carrier	1%	Diminished ovarian reserve	8%	Unknown factor	11%
Combo	0%	PGD	0%	Endometriosis	3%	Multiple female factors	9%
				Uterine factor	2%	Female and male factors	29%

Verified by: Ketan S.Patel, M.D.

Fresh Embryos From Non-Donor Oocytes	<35	35-37	38-40	41-42	>42
Number of cycles	58	39	20	10	1
Percentage of cycles resulting in pregnancies	58.6	51.3	50.0	1 / 10	0/1
Percentage of cycles resulting in live births	46.6	41.0	35.0	1 / 10	0/1
(Reliability Range)	(33.7 - 59.4)	(25.6 - 56.5)	(14.1 - 55.9)		
Percentage of retrievals resulting in live births	50.9	42.1	35.0	1/8	
Percentage of transfers resulting in live births	52.9	43.2	7 / 19	1/6	
Percentage of cycles with elective single embryo transfer	0	0	0 / 19	0/6	
Percentage of cancellations	8.6	2.6	0	2/10	1/1
Implantation Rate	42.3	28.2	16.3	1 / 15	
Average number of embryos transferred	2.0	2.1	2.6	2.5	
Percentage of live births with twins	37.0	4 / 16	0/7	0/1	
Percentage of live births with triplets or more	3.7	0 / 16	0/7	0/1	
Thawed Embryos From Non-Donor Oocytes	<35	35-37	38-40 41-	42	>42
Number of Transfers	19	9	5 0)	0
Percentage of transfers resulting in live births	6 / 19	1/9	3/5		

Donor Oocytes (all ages)	Thawed Embryos	Fresh Embryos
Number of Transfers	11	15
Percentage of transfers resulting in live births	5/11	8 / 15
Average number of embryos transferred	2.1	2

2.2

2.1

2.6

Current Clinic Services and Profile							
Current Name:	Arizona Associate	Arizona Associates for Reproductive Health					
Donor egg?	Yes	Gestational carriers?	Yes	SART Member?	Yes		
Donor embryo?	Yes	Cryopreservation?	Yes	Verified lab accreditation?	Yes		
Single Women?	Yes						

Caution: Patient characteristics vary among programs; therefore, these data should not be used for comparing clinics.